



sylvac

Swiss manufacturer of precision measuring instruments since 1969

D300S

Universal Digital Unit



NEW


- **Plug&Play**
- Full Sylvac compatibility
- **Touchscreen 8.5"**
- Automatic detection of measurement
- **Backup of data and configurations**





sylvac


D300S




Large touchscreen 8.5 inches



Channel configuration including mathematic functions



Memorized values for each channel



Histogram / Statistics / Mean chart / X-bar

		804.1300	804.1320
Model		D300S / 2 probe inputs	D300S / 4 probe inputs
Overall dimension	mm	330 x 175 x 77	
Weight	kg	3.3	
Case		Galvanized sheet metal / Plastic	
Protection rating according to IEC 60529		Front panel IP65 / Fully protected with PVC cover 804.6001	
Simultaneously connected instruments		32 probes / 30 USB instruments	
Displayed channels		1 to 8 channels per screen / 1 to 8 screens	
Functions		Mathematic / Statistic / Dynamic (min/max/delta)	
Backup of data (measurements) per channel		10'000	
Data transfer		USB stick (CSV file) / USB Printer PCL6 / LAN / USB device	
Instruction for use		Online help / Quick-Start / Paper manual	





Measurement using PS17 bench.



Multigauging measurement using D200S interface and D300S display



Multigauging measurement using multiple D302 connected to D300S




Workstation with automatic detection of the instruments in use and automatic switch to the right window

ACCESSORIES

804.6005

Vesa clamping converter



Several arms, feet and other devices compatible and available on <http://www.ergotron.com>

804.6001

PVC protecting cover (touch screen not affected)





sylvac

Swiss manufacturer of precision measuring instruments since 1969

D300S

Multigauging Workstation

