

Traditional Engineers' Level

Features

- Main vial sensitivity of 1 minute
- Each level is fitted with a main, cross and plumb vial
- Main vial protected by rotating shroud
- Vial solution maintains colour and fluidity under all workshop conditions
- Precision ground cast base with vee groove for location on cylindrical work



METRIC / IMPERIAL ENGINEERS' LEVEL

| Code No | Length (mm) | Length (inch) | Width (mm) | Width (inch) | Height (mm) | Height (inch) | Resolution (mm) | Resolution (inch) |
|---------|-------------|---------------|------------|--------------|-------------|---------------|-----------------|-------------------|
| ELS | 165 | 6.5 | 34 | 1.34 | 46 | 1.81 | 0.3mm per metre | 0.0035" per foot |

Traditional Engineers' Level

Features

- Main vial sensitivity of 1 minute
- Each level is fitted with a main, cross and plumb vial
- Main vial protected by rotating shroud
- Vial solution maintains colour and fluidity under all workshop conditions
- Precision ground cast base with vee groove for location on cylindrical work



METRIC / IMPERIAL ENGINEERS' LEVEL

| Code No | Length (mm) | Length (inch) | Width (mm) | Width (inch) | Height (mm) | Height (inch) | Resolution (mm) | Resolution (inch) |
|---------|-------------|---------------|------------|--------------|-------------|---------------|-----------------|-------------------|
| ELM | 310 | 12 | 36 | 1.42 | 58 | 2.28 | 0.3mm per metre | 0.0035" per foot |

Traditional Mini Level

Features

- Ultra compact dimensions and a single vial
- Machined from a solid block of carbon steel
- Supplied on retail card



METRIC / IMPERIAL MINI LEVELS


| Code No | Length (mm) | Length (inch) | Width (mm) | Width (inch) | Height (mm) | Height (mm) | Accuracy (inch) |
|-----------|-------------|---------------|------------|--------------|-------------|-------------|-------------------------|
| ELT-001XR | 51 | 2.0 | 19 | 0.75 | 19 | 0.75 | ± 1° / 0.0035" per foot |

Engineers' Level 550 Series

Features

Standard: Factory Standard

- With four ground measuring faces
- Features zero-point adjustment
- With V-slot on base
- Made of cast iron, solid and rigid construction
- With sub-level tube



ENGINEERS' LEVEL

| Code No | Size of Base (mm) | Sensitivity (mm/m) |
|----------|-------------------|--------------------|
| MW550-03 | 200 | 0.02 |

Digital Mini-Mag Level 570 Series

Features

- Measuring range 360° (4 x 90°)
- Embedded magnets on two sides
- Resolution 0.05°
- Accuracy +/- 0.2°
- Standard 9V battery
- Dimensions: L60mm x H60mm x W35mm




DIGITAL MINI-MAG LEVEL

| Code No | Description |
|----------|----------------|
| MW570-01 | Mini-Mag Level |

Digital Level 580 Series

Features

- Precision navigational level sensor
- CNC machined super flat edge
- Heavy duty aluminium alloy body, chrome finish
- Laser accurately extends level capabilities
- Strong magnets on underside
- Measuring: 4x90°
- Resolution: 0.05°
- Battery: standard 9V
- Accuracy ± 0.2°



DIGITAL LEVEL

| Code No | Size | Resolution |
|----------|-------------|------------|
| MW580-01 | 150mm / 6" | 0.05° |
| MW580-02 | 225mm / 9" | 0.05° |
| MW580-03 | 600mm / 24" | 0.05° |